

NVR Bundle Package

Compro RS-2104 4-Channel NVR & 4 x CS60 Camera



Compro NVR bundle package offers everything you need to build up a robust and reliable IF surveillance system in one convenient package. There is no additional camera license, integration efforts, or hardware purchase. It's everything you need for a proper surveillance system. It's the easiest way to start protecting your property with leading-edge IP surveil lance technology. Best of all, it's giving you great hang for buck

Package Benefits

Seamless Integration

Compro NVR works in perfect tandem with Compro network cameras, allowing you to take advantage of all the advanced features on Compro network cameras. Installers can also enjoy the benefits of reduced integration efforts and hence savings in installation time and cost as a result of our seamless integration.

One-Stop Purchase

The bundle package includes everything you need to build up a monitoring and recording system, and makes dealing with surveillance equipment manufacturers much easier since you don't have to waste time again going from one vendor to another in search of the best combination of hardware.

Sub 100-Second Installation

The cameras and NVR in this package are ready for use out of the box. The setup process is streamlined to a few mouse clicks and will take no more than 100 seconds to complete, which is as fast as it takes to set up a DVR-based surveillance system.

A Green Solution

Compro NVR bundle is a far more eco-friendly solution than its analog counterpart. This NVR bundle uses 1/8 power consumption of a standard PC and DVR. The system's lower power consumption also translates to a lower operating cost over the long-term.

Total Accountability

At Compro, we pride ourselves in being accountable to our customers. We have a team of experienced engineers that can provide immediate support to customers encountering any issues during the use of Compro products. The network cameras and NVR in this package are solely developed by Compro, which allows us total control over the quality of our products.

Intelligent Home Surveillance Solution

Compro iWizard is a smart installer to turn the traditionally complicated network camera installation into a simple and fast process. WebVUer is an intuitive IE-based video management software loaded with all the key features for trouble-free remote monitoring.

"One package, one solution, one great price."

Everything You Need in One Convenient Package

Compro NVR bundle brings home users and business users a robust and reliable IP surveillance system in one convenient package. The NVR bundle is suitable for a plethora of applications, including home monitoring, elderly care, medical care, warehouse and retail store surveillance, etc.

RS-2104 NVR - Key Features

One-Click Camera Setup

The NVR's iStart feature lets you set up camera connections with a click of a button. With iStart, you don't have to configure connections between your NVR and your Compro network cameras one by one. Just click the iStart button and then all the available Compro network cameras will be automatically connected to your NVR.

Energy-Efficient Design

This NVR system consumes less than 20 watts in operation, which translates to a lower operating cost as compared with the energy hog DVR-based surveillance system.

Compact Size

Measured only 20 centimeters long and 5 centimeters wide, and standing slightly taller than a soda can, the RS-2104 can nicely fit anywhere in a home, shop or office.

Friendly Browser Interface

You can access your NVR from anywhere and at anytime on your web browser. The NVR's browser interface, WebVUer, offers the capability to remotely search, play back, and export video recordings. The browser interface is so easy to use that there is virtually no learning time required.





CS60 Camera - Key Features

High Quality Megapixel/HD Image

The camera with its 1.3 megapixel image sensor delivers more than twice as high video resolution as a conventional CCTV camera. The maximum 1280 by 1024 resolution allows CS60 to capture video from a wide area, effectively reducing the number of cameras required in the surveillance network.

Easy Plug-n-Play Setup

The camera is so easy to set up that even novice users can complete the setup in 5 minutes. Installing this camera does not require any networking expertise or router setting. Simply plug in the cables, install the camera software, and then your CS60 IP camera is ready to be viewed and shared anywhere, anytime from your PC or mobile phone.

Exclusive Mobile App

You can download the exclusive and feature-rich camera viewer app to view and manage your Compro cameras on the iPhone® or Android™ phone. The free mobile app enables you to securely share camera video with your friends and families on your Friends list.

SMS & Email Notification


The event notification feature enables the camera to send an alert message to user-specified recipients when it detects motion events. The SMS service runs on a web-based SMS gateway platform and does not impose any monthly fees. The Email service supports popular webmail platforms.

TECHNICAL SPECIFICATIONS

Model	RS-2104
Connectors	
LAN Port	Gigabit RJ-45 Ethernet port x 1
USB Port	USB 2.0 x 1
Camera Support	
Max Camera # Support	4
Supported Devices	Compro IP cameras, Compro video servers, ONVIF cameras
Camera Administration	Individually adjustable video settings for each camera
Storage	
Internal HDD	1 x 3.5" SATA II HDD
HDD Capacity	Supports up to 3.0 TB
RAID Level	No
Live View & Recording	
Display Mode	1, 4-channel view, full screen mode
Compression Format	M-JPEG, MPEG4, H.264 (depending on the camera)
Bitrate/Framerate	Up to 3 Mbps / 60 FPS per camera (depending on the camera)
Pre/Post -event Recording	Yes, up to 5 sec before event trigger; up to 300 sec after event trigger
Recording Mode	Continuous, scheduled, event-triggered, manual
General	
USB Backup	Yes
Client PC Requirements	Windows XP/ Vista/ 7 with IE 8.0 or later
Certification	CE, FCC
Operating Environment	10~ 40 °C / 50 ~ 104 °F
Dimensions	200.6 mm (L) x 52 mm (W) x 131.8 mm (H)
Power Supply	AC100~240V 50/60Hz in, DC 12V output

Model	CS60
Camera	
Indoor / Outdoor	Indoor
Megapixel Rating	1.3 MP
Image Sensor	1/3" progressive scan CMOS
Lens	3.75 mm, F3.0, fixed iris
Field of View	60° (Horizontal)
Zoom	10x digital
Video	
Compression Format	H.264 / M-JPEG
Max. Resolution	1280x1024
Max. Frame Rate	Up to 30 FPS at 640x480; 15 FPS at 1280 x 1024
Streaming	Dual video streaming
Audio	
Audio Support	One-way
Built-in Mic & Speaker	Built-in mic
Audio Detection	Yes (sensitivity adjustable)
Remote Surveillance	
Mobile Surveillance	Mobile viewer app for iPhone® and Android™; M-JPEG and 3GPP streaming on feature phones
Web Surveillance	Multi-channel WebVUer on IE and non-IE browsers (features vary)
General	
Video Motion Detection	Yes (3 detection zones with adjustable sensitivity)
Wireless Connectivity	Optional USB wireless adapter
Operating Temperature	5 ~ 40 °C / 41 ~ 104 °F
Power Supply	DC 5V
Dimensions	64 x 86.9 x 110 mm (inclu. bracket)

DIMENSIONS



Ordering Information

BR-04405

Includes the following items:

- RS-2104 Network Video Recorder x 1
- CS60 Network Camera x 4
- 500GB HDD x 1 (pre-installed in the NVR)

BR-04410

Includes the following items:

- RS-2104 Network Video Recorder x 1
- CS60 Network Camera x 4
- 1TB HDD x 1 (pre-installed in the NVR)

BR-04400

Includes the following items:

- RS-2104 Network Video Recorder x 1 (without HDD)
- CS60 Network Camera x 4

